

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	5		5
		% within Sex	33.3%		22.7%
	25-29	Count	2	4	6
		% within Sex	13.3%	57.1%	27.3%
	30-39	Count	3	2	5
		% within Sex	20.0%	28.6%	22.7%
	40-49	Count	3		3
		% within Sex	20.0%		13.6%
	50-59	Count	2	1	3
		% within Sex	13.3%	14.3%	13.6%
Total	Count	15	7	22	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	6	2	8
		% within Sex	40.0%	28.6%	36.4%
	African American	Count	2	1	3
		% within Sex	13.3%	14.3%	13.6%
	Hispanic	Count	7	4	11
		% within Sex	46.7%	57.1%	50.0%
	Total		Count	15	7
			% within Sex	100.0%	100.0%

a. HSDA = Victoria

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	9		9
		% within Sex	60.0%		40.9%
	IDU	Count	2	1	3
		% within Sex	13.3%	14.3%	13.6%
	M-M & IDU	Count	1		1
		% within Sex	6.7%		4.5%
	Heterosexual Contact	Count	1	3	4
		% within Sex	6.7%	42.9%	18.2%
	Not Classified	Count	2	3	5
		% within Sex	13.3%	42.9%	22.7%
Total	Count	15	7	22	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	8	8
		% within Adult-Ped	36.4%	36.4%
	African American	Count	3	3
		% within Adult-Ped	13.6%	13.6%
	Hispanic	Count	11	11
		% within Adult-Ped	50.0%	50.0%
Total	Count	22	22	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Victoria

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	15	15
		% within Adult-Ped	68.2%	68.2%
	Female	Count	7	7
		% within Adult-Ped	31.8%	31.8%
Total		Count	22	22
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Victoria

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	25-29	Count	1		1
		% within Sex	20.0%		12.5%
	30-39	Count	4	2	6
		% within Sex	80.0%	66.7%	75.0%
	40-49	Count		1	1
		% within Sex		33.3%	12.5%
Total	Count	5	3	8	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	4	1	5
		% within Sex	80.0%	33.3%	62.5%
	African American	Count	1	1	2
		% within Sex	20.0%	33.3%	25.0%
	Hispanic	Count		1	1
		% within Sex		33.3%	12.5%
Total	Count	5	3	8	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2		2
		% within Sex	40.0%		25.0%
	IDU	Count		1	1
		% within Sex		33.3%	12.5%
	Heterosexual Contact	Count	1	1	2
		% within Sex	20.0%	33.3%	25.0%
	Not Classified	Count	2	1	3
		% within Sex	40.0%	33.3%	37.5%
Total	Count	5	3	8	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	5	5
		% within Adult-Ped	62.5%	62.5%
	African American	Count	2	2
		% within Adult-Ped	25.0%	25.0%
	Hispanic	Count	1	1
		% within Adult-Ped	12.5%	12.5%
Total	Count	8	8	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Victoria

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	5	5
		% within Adult-Ped	62.5%	62.5%
	Female	Count	3	3
		% within Adult-Ped	37.5%	37.5%
Total		Count	8	8
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Victoria

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	1 (12-23 mo)	Count		1	1
		% within Sex		7.7%	2.4%
	2-4	Count	1		1
		% within Sex	3.6%		2.4%
	13-19	Count		1	1
		% within Sex		7.7%	2.4%
	20-24	Count	7		7
		% within Sex	25.0%		17.1%
	25-29	Count	3	4	7
		% within Sex	10.7%	30.8%	17.1%
	30-39	Count	11	5	16
		% within Sex	39.3%	38.5%	39.0%
	40-49	Count	4	1	5
		% within Sex	14.3%	7.7%	12.2%
	50-59	Count	2	1	3
		% within Sex	7.1%	7.7%	7.3%
	Total	Count	28	13	41
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	13	4	17
		% within Sex	46.4%	30.8%	41.5%
	African American	Count	6	2	8
		% within Sex	21.4%	15.4%	19.5%
	Hispanic	Count	9	7	16
		% within Sex	32.1%	53.8%	39.0%
	Total	Count	28	13	41
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	12		12
		% within Sex	42.9%		29.3%
	IDU	Count	4	2	6
		% within Sex	14.3%	15.4%	14.6%
	M-M & IDU	Count	1		1
		% within Sex	3.6%		2.4%
	Heterosexual Contact	Count	2	4	6
		% within Sex	7.1%	30.8%	14.6%
	Not Classified	Count	8	6	14
		% within Sex	28.6%	46.2%	34.1%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	3.6%	7.7%	4.9%
Total	Count	28	13	41	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		17	17
		% within Adult-Ped		43.6%	41.5%
	African American	Count		8	8
		% within Adult-Ped		20.5%	19.5%
	Hispanic	Count	2	14	16
		% within Adult-Ped	100.0%	35.9%	39.0%
Total	Count	2	39	41	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	27	28
		% within Adult-Ped	50.0%	69.2%	68.3%
	Female	Count	1	12	13
		% within Adult-Ped	50.0%	30.8%	31.7%
Total		Count	2	39	41
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Victoria

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	1 (12-23 mo)	Count		1	1
		% within Sex		7.7%	2.4%
	2-4	Count	1		1
		% within Sex	3.6%		2.4%
	13-19	Count		1	1
		% within Sex		7.7%	2.4%
	20-24	Count	7		7
		% within Sex	25.0%		17.1%
	25-29	Count	3	4	7
		% within Sex	10.7%	30.8%	17.1%
	30-39	Count	11	5	16
		% within Sex	39.3%	38.5%	39.0%
	40-49	Count	4	1	5
		% within Sex	14.3%	7.7%	12.2%
	50-59	Count	2	1	3
		% within Sex	7.1%	7.7%	7.3%
	Total	Count	28	13	41
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count		1	1
		% within Sex		7.7%	2.4%
	13-19	Count	1		1
		% within Sex	3.6%		2.4%
	20-24	Count	5	1	6
		% within Sex	17.9%	7.7%	14.6%
	25-29	Count	4	3	7
		% within Sex	14.3%	23.1%	17.1%
	30-39	Count	6	5	11
		% within Sex	21.4%	38.5%	26.8%
	40-49	Count	9	2	11
		% within Sex	32.1%	15.4%	26.8%
	50-59	Count	3	1	4
		% within Sex	10.7%	7.7%	9.8%
	Total	Count	28	13	41
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	13	4	17
		% within Sex	46.4%	30.8%	41.5%
	African American	Count	6	2	8
		% within Sex	21.4%	15.4%	19.5%
	Hispanic	Count	9	7	16
		% within Sex	32.1%	53.8%	39.0%
Total	Count	28	13	41	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	12		12
		% within Sex	42.9%		29.3%
	IDU	Count	4	2	6
		% within Sex	14.3%	15.4%	14.6%
	M-M & IDU	Count	1		1
		% within Sex	3.6%		2.4%
	Heterosexual Contact	Count	2	4	6
		% within Sex	7.1%	30.8%	14.6%
	Not Classified	Count	8	6	14
		% within Sex	28.6%	46.2%	34.1%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	3.6%	7.7%	4.9%
Total	Count	28	13	41	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		17	17
		% within Adult-Ped		43.6%	41.5%
	African American	Count		8	8
		% within Adult-Ped		20.5%	19.5%
	Hispanic	Count	2	14	16
		% within Adult-Ped	100.0%	35.9%	39.0%
Total	Count	2	39	41	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	27	28
		% within Adult-Ped	50.0%	69.2%	68.3%
	Female	Count	1	12	13
		% within Adult-Ped	50.0%	30.8%	31.7%
Total		Count	2	39	41
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Victoria

HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	1		1
		% within Sex	7.7%		6.3%
	30-39	Count	8	1	9
		% within Sex	61.5%	33.3%	56.3%
	40-49	Count	2	1	3
		% within Sex	15.4%	33.3%	18.8%
	50-59	Count	2	1	3
		% within Sex	15.4%	33.3%	18.8%
Total	Count	13	3	16	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	6	2	8
		% within Sex	46.2%	66.7%	50.0%
	African American	Count	1	1	2
		% within Sex	7.7%	33.3%	12.5%
	Hispanic	Count	6		6
		% within Sex	46.2%		37.5%
Total	Count	13	3	16	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	7		7
		% within Sex	53.8%		43.8%
	IDU	Count	1	1	2
		% within Sex	7.7%	33.3%	12.5%
	M-M & IDU	Count	2		2
		% within Sex	15.4%		12.5%
	Heterosexual Contact	Count		1	1
		% within Sex		33.3%	6.3%
	Not Classified	Count	3	1	4
		% within Sex	23.1%	33.3%	25.0%
Total	Count	13	3	16	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	8	8
		% within Adult-Ped	50.0%	50.0%
	African American	Count	2	2
		% within Adult-Ped	12.5%	12.5%
	Hispanic	Count	6	6
		% within Adult-Ped	37.5%	37.5%
Total	Count	16	16	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Victoria

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	13	13
		% within Adult-Ped	81.3%	81.3%
	Female	Count	3	3
		% within Adult-Ped	18.8%	18.8%
Total		Count	16	16
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Victoria

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	1	1	2
		% within Sex	10.0%	50.0%	16.7%
	25-29	Count	1		1
		% within Sex	10.0%		8.3%
	30-39	Count	4	1	5
		% within Sex	40.0%	50.0%	41.7%
	40-49	Count	3		3
		% within Sex	30.0%		25.0%
	50-59	Count	1		1
		% within Sex	10.0%		8.3%
Total	Count	10	2	12	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1		1
		% within Sex	10.0%		8.3%
	African American	Count	4	1	5
		% within Sex	40.0%	50.0%	41.7%
	Hispanic	Count	5	1	6
		% within Sex	50.0%	50.0%	50.0%
	Total		10	2	12
			100.0%	100.0%	100.0%

a. HSDA = Victoria

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	3		3
		% within Sex	30.0%		25.0%
	Heterosexual Contact	Count	1	1	2
		% within Sex	10.0%	50.0%	16.7%
	Transfusion	Count	1		1
		% within Sex	10.0%		8.3%
	Not Classified	Count	4	1	5
		% within Sex	40.0%	50.0%	41.7%
	Ped Hemophiliac	Count	1		1
		% within Sex	10.0%		8.3%
Total	Count	10	2	12	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	1
		% within Adult-Ped	8.3%	8.3%
	African American	Count	5	5
		% within Adult-Ped	41.7%	41.7%
	Hispanic	Count	6	6
		% within Adult-Ped	50.0%	50.0%
Total	Count	12	12	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Victoria

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	10	10
		% within Adult-Ped	83.3%	83.3%
	Female	Count	2	2
		% within Adult-Ped	16.7%	16.7%
Total		Count	12	12
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Victoria

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		1	1
		% within Sex		3.8%	.7%
	20-24	Count	5	8	13
		% within Sex	4.0%	30.8%	8.7%
	25-29	Count	25	1	26
		% within Sex	20.2%	3.8%	17.3%
	30-39	Count	52	8	60
		% within Sex	41.9%	30.8%	40.0%
	40-49	Count	24	6	30
		% within Sex	19.4%	23.1%	20.0%
	50-59	Count	15	2	17
		% within Sex	12.1%	7.7%	11.3%
	60-69	Count	2		2
		% within Sex	1.6%		1.3%
	70+	Count	1		1
		% within Sex	.8%		.7%
Total	Count	124	26	150	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	65	9	74
		% within Sex	52.4%	34.6%	49.3%
	African American	Count	18	8	26
		% within Sex	14.5%	30.8%	17.3%
	Hispanic	Count	40	9	49
		% within Sex	32.3%	34.6%	32.7%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.8%		.7%
	Total		124	26	150
			100.0%	100.0%	100.0%

a. HSDA = Victoria

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	73		73
		% within Sex	58.9%		48.7%
	IDU	Count	10	7	17
		% within Sex	8.1%	26.9%	11.3%
	M-M & IDU	Count	13		13
		% within Sex	10.5%		8.7%
	Hemophiliac	Count	1		1
		% within Sex	.8%		.7%
	Heterosexual Contact	Count	5	9	14
		% within Sex	4.0%	34.6%	9.3%
	Transfusion	Count	4	1	5
		% within Sex	3.2%	3.8%	3.3%
	Not Classified	Count	17	8	25
		% within Sex	13.7%	30.8%	16.7%
	Ped Hemophiliac	Count	1		1
		% within Sex	.8%		.7%
	Ped Parent at Risk	Count		1	1
		% within Sex		3.8%	.7%
Total		Count	124	26	150
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		74	74
		% within Adult-Ped		49.7%	49.3%
	African American	Count		26	26
		% within Adult-Ped		17.4%	17.3%
	Hispanic	Count	1	48	49
		% within Adult-Ped	100.0%	32.2%	32.7%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.7%	.7%
Total		Count	1	149	150
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Victoria

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count		124	124
		% within Adult-Ped		83.2%	82.7%
	Female	Count	1	25	26
		% within Adult-Ped	100.0%	16.8%	17.3%
Total		Count	1	149	150
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Victoria

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	3	5	8
		% within Sex	5.6%	35.7%	11.8%
	25-29	Count	10	1	11
		% within Sex	18.5%	7.1%	16.2%
	30-39	Count	27	3	30
		% within Sex	50.0%	21.4%	44.1%
	40-49	Count	9	3	12
		% within Sex	16.7%	21.4%	17.6%
	50-59	Count	5	2	7
		% within Sex	9.3%	14.3%	10.3%
Total	Count	54	14	68	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	20-24	Count	2	1	3
		% within Sex	3.7%	7.1%	4.4%
	25-29	Count	1	1	2
		% within Sex	1.9%	7.1%	2.9%
	30-39	Count	25	7	32
		% within Sex	46.3%	50.0%	47.1%
	40-49	Count	20	3	23
		% within Sex	37.0%	21.4%	33.8%
	50-59	Count	5	2	7
		% within Sex	9.3%	14.3%	10.3%
	60-69	Count	1		1
		% within Sex	1.9%		1.5%
Total	Count	54	14	68	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	22	7	29
		% within Sex	40.7%	50.0%	42.6%
	African American	Count	8	4	12
		% within Sex	14.8%	28.6%	17.6%
	Hispanic	Count	24	3	27
		% within Sex	44.4%	21.4%	39.7%
Total	Count	54	14	68	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	29		29
		% within Sex	53.7%		42.6%
	IDU	Count	4	4	8
		% within Sex	7.4%	28.6%	11.8%
	M-M & IDU	Count	4		4
		% within Sex	7.4%		5.9%
	Heterosexual Contact	Count	3	5	8
		% within Sex	5.6%	35.7%	11.8%
	Transfusion	Count	1		1
		% within Sex	1.9%		1.5%
	Not Classified	Count	12	5	17
		% within Sex	22.2%	35.7%	25.0%
	Ped Hemophiliac	Count	1		1
		% within Sex	1.9%		1.5%
Total		Count	54	14	68
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	29	29
		% within Adult-Ped	42.6%	42.6%
	African American	Count	12	12
		% within Adult-Ped	17.6%	17.6%
	Hispanic	Count	27	27
		% within Adult-Ped	39.7%	39.7%
Total	Count	68	68	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Victoria

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	54	54
		% within Adult-Ped	79.4%	79.4%
	Female	Count	14	14
		% within Adult-Ped	20.6%	20.6%
Total		Count	68	68
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Victoria

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	1 (12-23 mo)	Count		1	1
		% within Sex		3.7%	.9%
	2-4	Count	1		1
		% within Sex	1.2%		.9%
	13-19	Count		1	1
		% within Sex		3.7%	.9%
	20-24	Count	10	5	15
		% within Sex	12.2%	18.5%	13.8%
	25-29	Count	13	5	18
		% within Sex	15.9%	18.5%	16.5%
	30-39	Count	38	8	46
		% within Sex	46.3%	29.6%	42.2%
	40-49	Count	13	4	17
		% within Sex	15.9%	14.8%	15.6%
	50-59	Count	7	3	10
		% within Sex	8.5%	11.1%	9.2%
	Total	Count	82	27	109
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count		1	1
		% within Sex		3.7%	.9%
	13-19	Count	1		1
		% within Sex	1.2%		.9%
	20-24	Count	7	2	9
		% within Sex	8.5%	7.4%	8.3%
	25-29	Count	5	4	9
		% within Sex	6.1%	14.8%	8.3%
	30-39	Count	31	12	43
		% within Sex	37.8%	44.4%	39.4%
40-49	Count	29	5	34	
	% within Sex	35.4%	18.5%	31.2%	
50-59	Count	8	3	11	
	% within Sex	9.8%	11.1%	10.1%	
60-69	Count	1		1	
	% within Sex	1.2%		.9%	
Total		Count	82	27	109
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	35	11	46
		% within Sex	42.7%	40.7%	42.2%
	African American	Count	14	6	20
		% within Sex	17.1%	22.2%	18.3%
	Hispanic	Count	33	10	43
		% within Sex	40.2%	37.0%	39.4%
Total	Count	82	27	109	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	41		41
		% within Sex	50.0%		37.6%
	IDU	Count	8	6	14
		% within Sex	9.8%	22.2%	12.8%
	M-M & IDU	Count	5		5
		% within Sex	6.1%		4.6%
	Heterosexual Contact	Count	5	9	14
		% within Sex	6.1%	33.3%	12.8%
	Transfusion	Count	1		1
		% within Sex	1.2%		.9%
	Not Classified	Count	20	11	31
		% within Sex	24.4%	40.7%	28.4%
	Ped Hemophiliac	Count	1		1
		% within Sex	1.2%		.9%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	1.2%	3.7%	1.8%
Total	Count	82	27	109	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		46	46
		% within Adult-Ped		43.0%	42.2%
	African American	Count		20	20
		% within Adult-Ped		18.7%	18.3%
	Hispanic	Count	2	41	43
		% within Adult-Ped	100.0%	38.3%	39.4%
Total	Count	2	107	109	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Victoria

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	81	82
		% within Adult-Ped	50.0%	75.7%	75.2%
	Female	Count	1	26	27
		% within Adult-Ped	50.0%	24.3%	24.8%
Total		Count	2	107	109
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Victoria